

Pyramid Products Ltd
 Byron Avenue
 Lowmoor Road Industrial Estate
 Kirby in Ashfield
 Notts, NG17 7LA
 VAT Number: GB 580838316

01623
 754567
Clave

Despatch Note

For Order: 0000035659 Dated: 05/07/2006
 Despatch Note Number: 0000044963
 Despatch Date: 05/07/2006

NICOLL INDUSTRIES LTD
 STEEL FABRICATION IND EST
 VICTORIA CRESCENT
 BURTON ON TRENT
 STAFFORDSHIRE
 DE14 2QD

Invoice No.	
Invoice/Tax Date	
Order No.	GREG
Account No.	NIC001

Order Line	Item Code	Description	Quantity	Unit	To Follow
------------	-----------	-------------	----------	------	-----------

1	MARQUEE6X12	4086-MARQUEE PE 6 X 12 WHITE	1	Each	0
2	MARQUEE6X12GROUNDSET	4217-6M X 12M GROUND BAR SET	1	Each	0

Coloured
 TAPE

1 Tubes
 2 "
 3 "
 4 Tent x 2
 5 Tent x 1
 6 feet of
 7 Tubes
 8 Short Tubes
 9 Ground Bar.

Deliver To:
 MICHAEL ARSTALL (07836610761)01392 4240
 STARCROSS YACHT CLUB
 POWDERHAM
 EXETER, DEVON



TELEPHONE UK: 01623 754567
International: + 44 1623 754567

FACSIMILE UK: 01623 754566
International: + 44 1623 754566


Email : sales@pyramid-products.co.uk
Web Site : <http://www.pyramid-products.com>

BYRON AVENUE
LOWMOOR ROAD INDUSTRIAL ESTATE
KIRKBY IN ASHFIELD
NOTTINGHAMSHIRE
NG17 7LA ENGLAND

fox to - 25521
from - claire lenton
Re: marquee installation
10/7/06

As per our earlier telephone
conversation please find marquee
grounding instructions. We do not do
grounding instructions, as they
are easy to assemble.

Kind regards
Claire



TELEPHONE UK: 01623 754567

International: + 44 1623 754567

FACSIMILE UK: 01623 754566

International: + 44 1623 754566

BYRON AVENUE

LOWMOOR ROAD INDUSTRIAL ESTATE

KIRKBY IN ASHFIELD

NOTTINGHAMSHIRE

NG17 7LA ENGLAND

Email : sales@pyramid-products.co.uk

Web Site : http://www.pyramid-products.com

Certificate of
Ignitability Test Report.
In accordance with BS 5651:1989 & BS 5438:1989

Pyramid Products Ltd
Textile Structures


This is to certify that the textile structures supplied by Pyramid Products Ltd were tested in accordance with British Standards BS 5438 : 1989 Test 2B Clause 8.2 and British Standard BS 5651 : 1989 Clause 3 and were found to comply in all respects with

British Standard BS 7837 : 1996

Signed.....
B.N. Hunter
 For and on behalf of Pyramid Products Ltd

Date 8th June 2005

This is a true and accurate interpretation of an original certificate held by the above named company, Pyramid Products Ltd, a true copy of which is available upon request.



TELEPHONE UK: 01623 754567
International: + 44 1623 754567

FACSIMILE UK: 01623 754566
International: + 44 1623 754566

Email : sales@pyramid-products.co.uk
Web Site : <http://www.pyramid-products.com>

BYRON AVENUE
LOWMOOR ROAD INDUSTRIAL ESTATE
KIRKBY IN ASHFIELD
NOTTINGHAMSHIRE
NG17 7LA ENGLAND

VERY IMPORTANT

PLEASE READ CAREFULLY


This marquee IS NOT intended to be a PERMANENT STRUCTURE.

It is for OCCAISIONAL use only and is not intended or designed to be used for commercial purposes or as a permanent structure or storage facility.

Any warranty will be voided if the structure has been used as such.

Any warranty will be voided if the structure has been left erected in adverse weather conditions such as strong winds, snow, hail etc.

You are strongly advised to take out some form of insurance to cover the marquee in the event of any damage occurring.



TELEPHONE UK: 01623 754567

International: + 44 1623 754567

FACSIMILE UK: 01623 754566

International: + 44 1623 754566

Email : sales@pyramid-products.co.uk

Web Site : <http://www.pyramid-products.com>

BYRON AVENUE

LOWMOOR ROAD INDUSTRIAL ESTATE

KIRKBY IN ASHFIELD

NOTTINGHAMSHIRE

NG17 7LA ENGLAND

Important Information


Please make sure that you read these instructions carefully before attempting to erect your marquee for the first time and retain them for future reference.

With the correct care and maintenance this marquee should last you for many years. However, it is not recommended that you attempt to erect or use the marquee in adverse weather conditions, such as strong winds, without taking sensible precautions. We strongly advise that you insure your marquee for accidental damage caused by storms or other forms of damage.

Check the contents of each box against the enclosed packing list and make sure that you have all the necessary parts and are familiar with them before you attempt to erect the marquee for the first time.

This marquee is not guaranteed to be totally waterproof, as some of the seams may not be fully welded due to impracticality. Some leakage may occur around these seams but it shouldn't be excessive or in any way mar your enjoyment of the marquee. You can always obtain cans of sealant from a good tent or outdoor shop and treat any such seams yourself if required.

It is recommended that the marquee be securely fastened down when erected with a suitable tie down kit. You will be able to purchase these from your dealer or the outlet where you purchased the marquee. In extreme circumstances alternative means of fastening the marquee down may be required such as sand bags, ground anchors or heavy weights attached to the frame although, if the weather is that bad, we would strongly advise you either dismantle the marquee or, at least, remove the sides, ends and roof in order to prevent damage which would not, in these circumstances, be covered by the warranty.



TELEPHONE UK: 01623 754567
International: + 44 1623 754567

FACSIMILE UK: 01623 754566
International: + 44 1623 754566

Email : sales@pyramid-products.co.uk
Web Site : <http://www.pyramid-products.com>

BYRON AVENUE
LOWMOOR ROAD INDUSTRIAL ESTATE
KIRKBY IN ASHFIELD
NOTTINGHAMSHIRE
NG17 7LA ENGLAND

Important

Precautions against damage.

Although the marquee is treated to make it flame retardant, **IT CAN STILL BURN**. Therefore it is vitally important to make sure that any source of heat or flame is kept well away from the marquee.

We suggest that you keep the marquee as far away as possible from any other structures, trees, hedges etc.


Do not erect the marquee underneath or too close to overhead power lines and make sure all entrances and exits are kept clear of obstructions.

When dismantling your marquee carry out the assembly procedure in reverse, making sure that you have help. Thoroughly dry all parts before putting it away as storing it when wet may result in it being damaged by mildew.

The marquee should always be stored in dry, warm conditions where possible and we suggest applying a thin coat of 'Vaseline' to prevent rusting of the frames. If the marquee is dirty it can be cleaned with warm, soapy water. **DO NOT USE ABRASIVE OR SPIRIT BASED CLEANING FLUIDS OR COMPOUNDS.**

The marquee is not covered by the warranty if these conditions are not adhered to and damage occurs through the marquee being stored in the wrong manner.

Spare parts may be obtained from the outlet where the marquee was purchased. In the event of difficulty obtaining parts please contact the importer, Pyramid Products Ltd, on 01623 754567. Claims under warranty should always be made to the retailer and not the importer. Please note that damage caused through adverse weather conditions, incorrect handling, accidental damage, misuse and improper packing and / or storage are not covered by the warranty.



TELEPHONE UK: 01623 754567
International: + 44 1623 754567

FACSIMILE UK: 01623 754566
International: + 44 1623 754566

Email : sales@pyramid-products.co.uk
Web Site : <http://www.pyramid-products.com>

BYRON AVENUE
LOWMOOR ROAD INDUSTRIAL ESTATE
KIRKBY IN ASHFIELD
NOTTINGHAMSHIRE
NG17 7LA ENGLAND

Assembly Instructions.

The marquee should be erected on flat, level ground. We advise that you do not attempt to erect it on your own but obtain assistance, as this will make the job a lot easier.

Start by assembling the roof frame as per the instructions, making sure you use the correct poles as using the wrong ones will mean the canopy will not fit properly. Once the frame is together place the canopy over the frame and fix at the edges using the little bungee cords supplied.





Once you have the roof on raise up one edge and insert the legs into the sockets. Make sure the holes in the legs are at the bottom.

We suggest that you attach the end curtains at this stage as this will mean you are not trying to attach them later when the marquee is at its full height.

Now you should lift the other edge and repeat the procedure.























Once you have the marquee up you can attach the sidewalls using the same bungee cords as you used for attaching the roof and peg them down. Then attach the feet plates to the ends of the legs. These have holes in them for you to put pegs through.

It may be necessary at this stage to use some tie downs to provide extra stability to the marquee in case the weather turns windy. These are available, for a small extra cost, from the outlet where you purchased the marquee. We strongly advise the use of these as, even though the weather may be nice when you put the marquee up, the wind can get up very quickly in this country and it's better to be safe than sorry. We recommend one tie down for every 2mtr length of marquee so, for example, a 6mtr long one would require 6, that's 3 a side, an 8mtr one 8 and so on.



Party Tent 6X12m

-Parts List-

Quantity		
28	A 	Rafter \varnothing 48mm
30	B 	Apex and eave pole \varnothing 48mm
14	C 	Leg \varnothing 48mm
7	D1 	\varnothing 30mm
7	D2 	\varnothing 30mm
18	E 	Base \varnothing 38mm
6		3 way joint
4		3 way joint
15		4 way joint
10		4 way joint
10		Base plate
4		Base plate
4		Base plate
144		bolt
4		Peg
142		Peg
144		Bungee
4		Guy lines
1		Roof
2		Wall panel
2		End panel
14		Nut and bolt