




2



3

























4



Party Tent 6X12m

-Parts List-

Quantity		
28	A 	Rafter ϕ 48mm
30	B 	Apex and eave pole ϕ 48mm
14	C 	Leg ϕ 48mm
7	D1 	ϕ 30mm
7	D2 	ϕ 30mm
18	E 	Base ϕ 38mm
6		3 way joint
4		3 way joint
15		4 way joint
10		4 way joint
10		Base plate
4		Base plate
4		Base plate
144		bolt
4		Peg
142		Peg
144		Bungee
4		Guy lines
1		Roof
2		Wall panel
2		End panel
14		Nut and bolt



TELEPHONE UK: 01623 754567
International: + 44 1623 754567

FACSIMILE UK: 01623 754566
International: + 44 1623 754566

Email : sales@pyramid-products.co.uk
Web Site : <http://www.pyramid-products.com>

BYRON AVENUE
LOWMOOR ROAD INDUSTRIAL ESTATE
KIRKBY IN ASHFIELD
NOTTINGHAMSHIRE
NG17 7LA ENGLAND

Assembly Instructions.

The marquee should be erected on flat, level ground. We advise that you do not attempt to erect it on your own but obtain assistance, as this will make the job a lot easier.

Start by assembling the roof frame as per the instructions, making sure you use the correct poles as using the wrong ones will mean the canopy will not fit properly. Once the frame is together place the canopy over the frame and fix at the edges using the little bungee cords supplied.

Once you have the roof on raise up one edge and insert the legs into the sockets. Make sure the holes in the legs are at the bottom.

We suggest that you attach the end curtains at this stage as this will mean you are not trying to attach them later when the marquee is at its full height.

Now you should lift the other edge and repeat the procedure.

Once you have the marquee up you can attach the sidewalls using the same bungee cords as you used for attaching the roof and peg them down. Then attach the feet plates to the ends of the legs. These have holes in them for you to put pegs through.

It may be necessary at this stage to use some tie downs to provide extra stability to the marquee in case the weather turns windy. These are available, for a small extra cost, from the outlet where you purchased the marquee. We strongly advise the use of these as, even though the weather may be nice when you put the marquee up, the wind can get up very quickly in this country and it's better to be safe than sorry. We recommend one tie down for every 2mtr length of marquee so, for example, a 6mtr long one would require 6, that's 3 a side, an 8mtr one 8 and so on.

Pyramid Products Ltd
 Byron Avenue
 Low Moor Road Industrial Estate
 Thry in Ashfield
 Nottingham, NG17 7LA
 VAT Number: GB 580838318

01623
 754567
Clave

Despatch Note

For Order: 0000035659 Dated: 05/07/2006
 Despatch Note Number: 0000044963
 Despatch Date: 05/07/2006

NICOLL INDUSTRIES LTD
 STEEL FABRICATION IND EST
 VICTORIA CRESCENT
 BURTON ON TRENT
 STAFFORDSHIRE
 DE14 2QD



Invoice No.	
Invoice/Tax Date	
Order No.	REG
Account No.	NIC001

MARQUEE6X12 4086-MARQUEE PE 8 X 12 WHITE
 MARQUEE6X12GROUND6X 4217-6M X 12M GROUND BAR SET

1 Each 0
 1 Each 0

Fold

8 X 12



General To:
 MICHAEL ARSTALL (0783661079) 01392 4240
 STARCROSS YACHT CLUB
 POWDERHAM
 EXETER, DEVON